



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

1 of 3

## N2N38K - Flower

METRC Sample: 1A40603000041B5000007869; METRC Batch: 1A40603000041B6000009721

Sample ID: 2512EXL7127.31026

Produced:

Distributor

Producer

Strain: N2N38K

Collected: 12/11/2025

CA Manufacturing Solutions

Glass House Camarillo

Matrix: Plant

Received: 12/12/2025

Lic. # C11-0000031-LIC

Lic. # CCL23-0000604

Type: Flower - Cured

Completed: 12/19/2025


1637 W CENTRAL AVE

645 Laguna Road Camarillo CA, 93012

Sample Size: 48 g; Batch: 30 lb

Batch#: 4166TMJ105121125

LOMPOC, CA 93436



### Summary

Test	Date Tested	Result
Batch	12/18/2025	Pass
Cannabinoids	12/12/2025	Complete
Foreign Matter	12/17/2025	Pass
Heavy Metals	12/16/2025	Pass
Microbials	12/16/2025	Pass
Moisture	12/16/2025	15.0% - Complete
Mycotoxins	12/17/2025	Pass
GCMS Pesticides	12/18/2025	Pass
LCMS Pesticides	12/17/2025	Pass
Water Activity	12/16/2025	0.48 aw - Pass

### Cannabinoids

Complete

**29.343%**

Total THC

**0.174%**

Total CBD

**30.763%**

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.009	0.025	0.0922	0.922
CBD	0.025	0.050	0.0996	0.996
CBDa	0.019	0.050	0.0846	0.846
CBG	0.025	0.050	0.0771	0.771
CBN	0.009	0.025	ND	ND
Δ8-THC	0.019	0.050	ND	ND
Δ9-THC	0.019	0.050	1.4708	14.708
THCa	0.013	0.025	31.7814	317.814
THCV	0.025	0.050	1.0770	10.770
Total THC			29.343	293.430
Total CBD			0.174	1.738
Total CBG			0.077	0.771
Total			30.763	307.631

Date Tested: 12/18/2025

Total THC = THCa \* 0.877 + Δ9-THC + Δ8 THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.  
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012


Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081

ISO/IEC 17025:2017

  
Scott Robertson  
Lab Director  
12/19/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LOQ samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

2 of 3

## N2N38K - Flower

METRC Sample: 1A40603000041B5000007869; METRC Batch: 1A40603000041B6000009721

Sample ID: 2512EXL7127.31026	Produced:	Distributor	Producer
Strain: N2N38K	Collected: 12/11/2025	<b>CA Manufacturing Solutions</b>	<b>Glass House Camarillo</b>
Matrix: Plant	Received: 12/12/2025	Lic. # C11-0000031-LIC	Lic. # CCL23-0000604
Type: Flower - Cured	Completed: 12/19/2025	1637 W CENTRAL AVE	645 Laguna Road Camarillo CA, 93012
Sample Size: 48 g; Batch: 30 lb	Batch#: 4166TMJ105121125	LOMPOC, CA 93436	

### GC Pesticides

Analyte	LOD	LOQ	Limit	Mass	Status
Captan	0.054	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.058	0.098	0.058	ND	Pass
Chlorfenapyr	0.056	0.097	0.056	ND	Pass
Cyfluthrin	0.052	0.097	2	ND	Pass
Cypermethrin	0.054	0.097	1	ND	Pass
Parathion Methyl	0.039	0.097	0.039	ND	Pass
Pentachloronitrobenzene (Quintozone)	0.062	0.097	0.1	ND	Pass

### Mycotoxins

Analytes	LOD	LOQ	Limit	Conc.	Status
Aflatoxin B1	4.0000	5.0000	μg/kg	μg/kg	Tested
Aflatoxin B2	4.0000	5.0000	ND	ND	Tested
Aflatoxin G1	4.0000	5.0000	ND	ND	Tested
Aflatoxin G2	4.0000	5.0000	ND	ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

### Microbials

Analyte	Limit	Detected / Not Detected	Status
Aspergillus flavus	RFU/g	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

### Heavy Metals

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0150	0.05	0.2	ND	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	0.0053	Pass

GCMS Date Tested: 12/18/2025  
Pesticides: GC-MS/MS. GCMS Method SOP-006

LCMS Date Tested: 12/17/2025

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 12/16/2025

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 12/17/2025

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081

ISO/IEC 17025:2017

  
Scott Robertson

Lab Director  
12/19/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LOQ samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

3 of 3

## N2N38K - Flower

METRC Sample: 1A40603000041B5000007869; METRC Batch: 1A40603000041B6000009721

Sample ID: 2512EXL7127.31026	Produced: Collected: 12/11/2025	Distributor CA Manufacturing Solutions	Producer Glass House Camarillo
Strain: N2N38K	Received: 12/12/2025	Lic. # C11-0000031-LIC	Lic. # CCL23-0000604
Matrix: Plant	Completed: 12/19/2025	1637 W CENTRAL AVE	645 Laguna Road Camarillo CA, 93012
Type: Flower - Cured		LOMPOC, CA 93436	
Sample Size: 48 g; Batch: 30 lb	Batch#: 4166TMJ105121125		

### LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.043	0.097	0.1	ND	Pass	Imazalil	0.029	0.097	0.029	ND	Pass
Acephate	0.019	0.097	0.1	ND	Pass	Imidacloprid	0.021	0.097	5	ND	Pass
Acequinocyl	0.031	0.097	0.1	ND	Pass	Kresoxim Methyl	0.045	0.097	0.1	ND	Pass
Acetamiprid	0.023	0.097	0.1	ND	Pass	Malathion	0.027	0.097	0.5	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass	Metalaxyl	0.029	0.097	2	ND	Pass
Azoxystrobin	0.025	0.097	0.1	ND	Pass	Methiocarb	0.029	0.097	0.029	ND	Pass
Bifenazate	0.031	0.097	0.1	ND	Pass	Methomyl	0.029	0.097	1	ND	Pass
Bifenthrin	0.033	0.097	3	ND	Pass	Mevinphos	0.033	0.1	0.033	ND	Pass
Boscalid	0.021	0.097	0.1	ND	Pass	Myclobutanil	0.047	0.097	0.1	ND	Pass
Carbaryl	0.025	0.097	0.5	ND	Pass	Naled	0.033	0.097	0.1	ND	Pass
Carbofuran	0.033	0.097	0.033	ND	Pass	Oxamyl	0.021	0.097	0.5	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass	Paclobutrazol	0.027	0.097	0.027	ND	Pass
Chlorpyrifos	0.019	0.097	0.019	ND	Pass	Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Clofentezine	0.035	0.097	0.1	ND	Pass	Phosmet	0.051	0.097	0.1	ND	Pass
Coumaphos	0.039	0.097	0.039	ND	Pass	Piperonyl Butoxide	0.037	0.097	3	ND	Pass
Daminozide	0.019	0.097	0.019	ND	Pass	Prallethrin	0.047	0.097	0.1	ND	Pass
Diazinon	0.031	0.097	0.1	ND	Pass	Propiconazole	0.023	0.097	0.1	ND	Pass
Dichlorvos	0.06	0.097	0.06	ND	Pass	Propoxur	0.027	0.097	0.027	ND	Pass
Dimethoate	0.027	0.097	0.027	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Pyridaben	0.033	0.1	0.1	ND	Pass
Ethoprophos	0.023	0.097	0.023	ND	Pass	Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Etofenprox	0.041	0.097	0.041	ND	Pass	Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Etoxazole	0.027	0.097	0.1	ND	Pass	Spiromesifen	0.047	0.097	0.1	ND	Pass
Fenhexamid	0.031	0.097	0.1	ND	Pass	Spirotetramat	0.019	0.097	0.1	ND	Pass
Fenoxy carb	0.041	0.097	0.041	ND	Pass	Spiroxamine	0.025	0.097	0.025	ND	Pass
Fenpyroximate	0.023	0.097	0.1	ND	Pass	Tebuconazole	0.027	0.097	0.1	ND	Pass
Fipronil	0.037	0.097	0.037	ND	Pass	Thiacloprid	0.033	0.097	0.033	ND	Pass
Flonicamid	0.039	0.097	0.1	ND	Pass	Thiamethoxam	0.027	0.097	5	ND	Pass
Fludioxonil	0.029	0.097	0.1	ND	Pass	Trifloxystrobin	0.037	0.097	0.1	ND	Pass
Hexythiazox	0.043	0.097	0.1	ND	Pass						

LCMS Date Tested: 12/17/2025  
Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081

ISO/IEC 17025:2017



Scott Robertson  
Lab Director  
12/19/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.