



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Regulatory Compliance Testing

1 of 4

F8KK98

METRC Sample: 1A40603000041B5000008387; METRC Batch: 1A40603000041B6000010073

Sample ID: 2602EXL1323.5669

Produced:

Distributor

Producer

Strain: F8KK98

Collected: 02/19/2026

CA Manufacturing Solutions

CA Manufacturing Solutions

Matrix: Plant

Received: 02/20/2026

Lic. # C11-0000031-LIC

Lic. # DCC-10002412

Type: Bulk Flower

Completed: 02/23/2026

1637 W CENTRAL AVE

1637 W CENTRAL AVE LOMPOC, CA

Sample Size: 58 g; Batch: 15,890 g

Batch#: 4289BGG021926

LOMPOC, CA 93436

93436



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/23/2026	Complete
Foreign Matter	02/20/2026	Pass
Heavy Metals	02/21/2026	Pass
Microbials	02/20/2026	Pass
Moisture	02/21/2026	12.8% - Complete
Mycotoxins	02/23/2026	Pass
GCMS Pesticides	02/21/2026	Pass
LCMS Pesticides	02/23/2026	Pass
Terpenes	02/23/2026	Complete
Water Activity	02/21/2026	0.43 aw - Pass

Cannabinoids

Complete

25.841%

Total THC

ND

Total CBD

25.991%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.009	0.025	0.0401	0.401
CBD	0.025	0.050	ND	ND
CBDa	0.019	0.050	ND	ND
CBG	0.025	0.050	0.1099	1.099
CBN	0.009	0.025	ND	ND
Δ8-THC	0.019	0.050	ND	ND
Δ9-THC	0.019	0.050	0.5588	5.588
THCa	0.013	0.025	28.8284	288.284
THCV	0.025	0.050	ND	ND
Total THC			25.841	258.413
Total CBD			ND	ND
Total CBG			0.110	1.099
Total			25.991	259.913

Date Tested: 02/23/2026

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
ISO/IEC 17025:2017

Scott A. Pollock

Scott Robertson
Lab Director
02/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Regulatory Compliance Testing

2 of 4

F8KK98

METRC Sample: 1A40603000041B5000008387; METRC Batch: 1A40603000041B6000010073

Sample ID: 2602EXL1323.5669	Produced:	Distributor	Producer
Strain: F8KK98	Collected: 02/19/2026	CA Manufacturing Solutions	CA Manufacturing Solutions
Matrix: Plant	Received: 02/20/2026	Lic. # C11-0000031-LIC	Lic. # DCC-10002412
Type: Bulk Flower	Completed: 02/23/2026	1637 W CENTRAL AVE	1637 W CENTRAL AVE LOMPOC, CA
Sample Size: 58 g; Batch: 15,890 g	Batch#: 4289BGG021926	LOMPOC, CA 93436	93436

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.054	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.058	0.098	0.058	ND	Pass
Chlorfenapyr	0.056	0.097	0.056	ND	Pass
Cyfluthrin	0.052	0.097	2	ND	Pass
Cypermethrin	0.054	0.097	1	ND	Pass
Parathion Methyl	0.039	0.097	0.039	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.062	0.097	0.1	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	4.0000	5.0000		ND	Tested
Aflatoxin B2	4.0000	5.0000		ND	Tested
Aflatoxin G1	4.0000	5.0000		ND	Tested
Aflatoxin G2	4.0000	5.0000		ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus flavus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0150	0.05	0.2	<LOQ	Pass
Cadmium	0.0113	0.05	0.2	<LOQ	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	<LOQ	Pass

GCMS Date Tested: 02/21/2026

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested: 02/23/2026

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 02/20/2026

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 02/21/2026

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081
ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
02/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Regulatory Compliance Testing

3 of 4

F8KK98

METRC Sample: 1A40603000041B5000008387; METRC Batch: 1A40603000041B6000010073

Sample ID: 2602EXL1323.5669

Produced:

Distributor

Producer

Strain: F8KK98

Collected: 02/19/2026

CA Manufacturing Solutions

CA Manufacturing Solutions

Matrix: Plant

Received: 02/20/2026

Lic. # C11-0000031-LIC

Lic. # DCC-10002412

Type: Bulk Flower

Completed: 02/23/2026

1637 W CENTRAL AVE

1637 W CENTRAL AVE LOMPOC, CA

Sample Size: 58 g; Batch: 15,890 g

Batch#: 4289BGG021926

LOMPOC, CA 93436

93436

LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.043	0.097	0.1	ND	Pass	Imazalil	0.029	0.097	0.029	ND	Pass
Acephate	0.019	0.097	0.1	ND	Pass	Imidacloprid	0.021	0.097	5	ND	Pass
Acequinocyl	0.031	0.097	0.1	ND	Pass	Kresoxim Methyl	0.045	0.097	0.1	ND	Pass
Acetamiprid	0.023	0.097	0.1	ND	Pass	Malathion	0.027	0.097	0.5	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass	Metalaxyl	0.029	0.097	2	ND	Pass
Azoxystrobin	0.025	0.097	0.1	ND	Pass	Methiocarb	0.029	0.097	0.029	ND	Pass
Bifenazate	0.031	0.097	0.1	ND	Pass	Methomyl	0.029	0.097	1	ND	Pass
Bifenthrin	0.033	0.097	3	ND	Pass	Mevinphos	0.033	0.1	0.033	ND	Pass
Boscalid	0.021	0.097	0.1	ND	Pass	Myclobutanil	0.047	0.097	0.1	ND	Pass
Carbaryl	0.025	0.097	0.5	ND	Pass	Naled	0.033	0.097	0.1	ND	Pass
Carbofuran	0.033	0.097	0.033	ND	Pass	Oxamyl	0.021	0.097	0.5	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass	Paclobutrazol	0.027	0.097	0.027	ND	Pass
Chlorpyrifos	0.019	0.097	0.019	ND	Pass	Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Clofentezine	0.035	0.097	0.1	ND	Pass	Phosmet	0.051	0.097	0.1	ND	Pass
Coumaphos	0.039	0.097	0.039	ND	Pass	Piperonyl Butoxide	0.037	0.097	3	ND	Pass
Daminozide	0.019	0.097	0.019	ND	Pass	Prallethrin	0.047	0.097	0.1	ND	Pass
Diazinon	0.031	0.097	0.1	ND	Pass	Propiconazole	0.023	0.097	0.1	ND	Pass
Dichlorvos	0.06	0.097	0.06	ND	Pass	Propoxur	0.027	0.097	0.027	ND	Pass
Dimethoate	0.027	0.097	0.027	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Pyridaben	0.033	0.1	0.1	ND	Pass
Ethoprophos	0.023	0.097	0.023	ND	Pass	Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Etofenprox	0.041	0.097	0.041	ND	Pass	Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Etoxazole	0.027	0.097	0.1	ND	Pass	Spiromesifen	0.047	0.097	0.1	ND	Pass
Fenhexamid	0.031	0.097	0.1	ND	Pass	Spirotetramat	0.019	0.097	0.1	ND	Pass
Fenoxycarb	0.041	0.097	0.041	ND	Pass	Spiroxamine	0.025	0.097	0.025	ND	Pass
Fenpyroximate	0.023	0.097	0.1	ND	Pass	Tebuconazole	0.027	0.097	0.1	ND	Pass
Fipronil	0.037	0.097	0.037	ND	Pass	Thiacloprid	0.033	0.097	0.033	ND	Pass
Flonicamid	0.039	0.097	0.1	ND	Pass	Thiamethoxam	0.027	0.097	5	ND	Pass
Fludioxonil	0.029	0.097	0.1	ND	Pass	Trifloxystrobin	0.037	0.097	0.1	ND	Pass
Hexythiazox	0.043	0.097	0.1	ND	Pass						

LCMS Date Tested: 02/23/2026

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081

ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
02/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 987-2095
http://excelbislabs.com
Lic#

Regulatory Compliance Testing

4 of 4

F8KK98

METRC Sample: 1A40603000041B5000008387; METRC Batch: 1A40603000041B6000010073

Sample ID: 2602EXL1323.5669

Produced:

Distributor

Producer

Strain: F8KK98

Collected: 02/19/2026

CA Manufacturing Solutions

CA Manufacturing Solutions

Matrix: Plant

Received: 02/20/2026

Lic. # C11-0000031-LIC

Lic. # DCC-10002412

Type: Bulk Flower

Completed: 02/23/2026

1637 W CENTRAL AVE

1637 W CENTRAL AVE LOMPOC, CA

Sample Size: 58 g; Batch: 15,890 g

Batch#: 4289BGG021926

LOMPOC, CA 93436

93436

Terpenes

Complete

Analyte	LOD µg/g	LOQ µg/g	Conc. %	Conc. mg/g
α-Bisabolol	12.200000	97.600000	ND	ND
Camphene	1.525000	97.600000	<LOQ	<LOQ
3-Carene	1.525000	97.600000	ND	ND
β-Caryophyllene	24.400000	97.600000	0.336393	3.36393
p-Cymene	1.525000	97.600000	ND	ND
Eucalyptol	1.525000	97.600000	ND	ND
Geraniol	6.100000	97.600000	ND	ND
α-Humulene	3.050000	97.600000	0.104756	1.04756
Isopulegol	12.200000	97.600000	0.206677	2.06677
δ-Limonene	3.050000	97.600000	0.415892	4.15892
Linalool	3.050000	97.600000	0.077702	0.77702
β-Myrcene	1.525000	97.600000	0.090320	0.90320
trans-Nerolidol	6.100000	97.600000	ND	ND
α-Ocimene	1.525000	97.600000	ND	ND
β-Ocimene	1.525000	97.600000	ND	ND
β-Pinene	1.525000	97.600000	0.058643	0.58643
α-Pinene	1.525000	97.600000	0.030092	0.30092
γ-Terpinene	1.525000	97.600000	ND	ND
α-Terpinene	1.525000	97.600000	ND	ND
Terpinolene	1.525000	97.600000	<LOQ	<LOQ
Total			1.320477	13.20477

Primary Aromas

 Cinnamon	 Hops	 Mint	 Lemon	 Lavender
---	---	---	--	---

Date Tested: 02/23/2026
Terpenes: HS-GC-MS



Accreditation #128081
ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson
Lab Director
02/23/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.